

CERTIFICATE OF MAILING

I hereby certify that this paper and every paper referred to therein as being enclosed is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date below

Date: February 5, 2009By: 

Attorney Docket No. 101194-99 CH

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Christian PRENTNER, et al
SERIAL NO. : 10/566,520
PATENT NO. : US 7,399,041 B2
CUSTOMER NO. : 27388
FILED : January 30, 2006
FOR : DRAWER OPENING GUIDE COMPRISING AN AUTOMATIC
RETRACTING DEVICE WITH AN INTERGRATED DAMPING
MECHANISM
ART UNIT : 3637
EXAMINER : WILKENS, Janet Marie

Attn: Certificate of Correction Branch
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER RULE 322

In accordance with the provisions of Rule 322 of the Rules of Practice which implement 35 USC 254, the Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent to correct

(1) mistakes incurred through the fault of the U.S. Patent Office in the printed patent document.

The mistakes are listed below with reference to their occurrence in the patent and correspond to the attached Form PTO-1050:

(1) PTO's mistake:

On the cover page in the abstract (57), "pawl component the entraining rocker" should read - - pawl component, the entraining rocker

Column 2, line 13, "BRIEF SUMMARY OR THE INVENTION" should read - - BRIEF SUMMARY OF THE INVENTION

Column 4, line 18, "between the guide rail 12 end the" should read - - between the guide rail 12 and the

Column 8, line 33, "the pawl component in a refraction direction on entering the" should read - - the pawl component in a retraction direction on entering the

REMARKS

Patentee submits that the mistake in the description occurred through fault of the Patent Office.

Patentee requests a Certificate of Correction. Two copies of the Form PTO-1050 are enclosed.

Please charge any insufficiency of fees, or credit any excess to our Deposit Account No. 14-1263.

It is respectfully requested that when the above-requested Certificate of Correction has been issued and entered in the file, that a certified copy of the Certificate of Correction be duly returned to the below-listed attorneys for the patentee.

Respectfully submitted,

NORRIS MCLAUGHLIN & MARCUS, P.A.

By /Christa Hildebrand/

Christa Hildebrand

Attorney for Applicant(s)

Reg. No. 34,953

875 Third Avenue - 18th Floor

New York, New York 10022

Phone: (212) 808-0700

Fax: (212) 808-0844